

## Liste faunistique des Diptères Limoniidae, Pediciidae & Cylindrotomidae de France métropolitaine C. QUINDROIT, F. LABAT & P. TILLIER 2026

### Limoniidae Rondani, 1856

#### Chioneinae Rondani, 1861

##### *Arctoconopa* Alexander, 1924

1. *Arctoconopa melampodia* (Loew, 1873)

##### *Baeoura* Alexander, 1924

2. *Baeoura directa* (Kuntze, 1914)

##### *Cheilotrichia* Rossi, 1848

3. *Cheilotrichia* (*Cheilotrichia*) *cinerea* (Strobl, 1898)
4. *Cheilotrichia* (*C.*) *imbuta* (Meigen, 1818)
5. *Cheilotrichia* (*C.*) *meridiana* Mendl, 1974
6. *Cheilotrichia* (*Empeda*) *cinerascens* (Meigen, 1804)
7. *Cheilotrichia* (*E.*) *fuscohalterata* (Strobl, 1906)
8. *Cheilotrichia* (*E.*) *minima* (Strobl, 1898)
9. *Cheilotrichia* (*E.*) *neglecta* (Lackschewitz, 1927)
10. *Cheilotrichia* (*E.*) *staryi* Mendl, 1973

##### *Chionea* Dalman, 1816

11. *Chionea alpina* Bezzi, 1908
12. *Chionea belgica* (Becker, 1912)
13. *Chionea bezzii* Oosterbroek & Reusch, 2008
14. *Chionea botosaneanui* (Burghele-Balacesco, 1969)
15. *Chionea lutescens* Lundström, 1907
16. *Chionea pyrenaea* (Bourne, 1981)

##### *Crypteria* Bergroth, 1913

17. *Crypteria* (*Crypteria*) *limnophiloides* Bergroth, 1913

##### *Ellipteroides* Becker, 1907

18. *Ellipteroides* (*Ellipteroides*) *lateralis* (Macquart, 1835)
19. *Ellipteroides* (*Protogonomyia*) *adrastea* Stary & Mendl, 1984
20. *Ellipteroides* (*P.*) *alboscuteatus* (von Roser, 1840)
21. *Ellipteroides* (*P.*) *limbatus* (von Roser, 1840)

##### *Erioconopa* Stary 1976

22. *Erioconopa diuturna* (Walker, 1848)
23. *Erioconopa symplectoides* (Kuntze, 1914)
24. *Erioconopa trivialis* (Meigen, 1818)

##### *Erioptera* Meigen, 1803

25. *Erioptera* (*Erioptera*) *divisa* (Walker, 1848)
26. *Erioptera* (*E.*) *flavata* (Westhoff, 1882)
27. *Erioptera* (*E.*) *fuscipennis* Meigen, 1818
28. *Erioptera* (*E.*) *fusculenta* Edwards, 1938

29. *Erioptera (E.) griseipennis* Meigen, 1838
30. *Erioptera (E.) limbata* Loew, 1873
31. *Erioptera (E.) longicauda* Loew, 1871
32. *Erioptera (E.) lutea lutea* Meigen, 1804
33. *Erioptera (E.) meijerei* Edwards, 1921
34. *Erioptera (E.) nielseni* de Meijere, 1921
35. *Erioptera (E.) pederi* Tjeder, 1969
36. *Erioptera (E.) sordida* Zetterstedt, 1838
37. *Erioptera (E.) squalida* Loew, 1871
38. *Erioptera (E.) verralli* Edwards, 1921
39. *Erioptera (Mesocyphona) bivittata* (Loew, 1873)
40. *Erioptera (M.) fossarum* (Loew, 1873)

*Gnophomyia* Osten Sacken, 1860

41. *Gnophomyia elsneri* Starý, 1983
42. *Gnophomyia viridipennis* (Gimmerthal, 1847)

*Gonempeda* Alexander, 1924

43. *Gonempeda flava* (Schummel, 1829)

*Gonomyia* Meigen, 1818

44. *Gonomyia (Gonomyia) abscondita* Lackschewitz, 1935
45. *Gonomyia (G.) bifida* Tonnoir, 1920
46. *Gonomyia (G.) conoviensis* Barnes, 1924
47. *Gonomyia (G.) dentata* de Meijere, 1920
48. *Gonomyia (G.) lucidula* de Meijere, 1920
49. *Gonomyia (G.) recta* Tonnoir, 1920
50. *Gonomyia (G.) securiformis* Starý, 2011
51. *Gonomyia (G.) simplex* Tonnoir, 1920
52. *Gonomyia (G.) subtenella* Savchenko, 1972
53. *Gonomyia (G.) tenella* (Meigen, 1818)
54. *Gonomyia (G.) theowaldi* Starý, 1982
55. *Gonomyia (G.) undiformis* Starý, 2010
56. *Gonomyia (Prolipophleps) abbreviata* Loew, 1873
57. *Gonomyia (P.) divergens* Bangerter, 1947
58. *Gonomyia (Teuchogonomyia) edwardsi* Lackschewitz, 1925

*Hoplolabis* Osten Sacken, 1869

59. *Hoplolabis (Parilisia) areolata* (Siebke, 1872)
60. *Hoplolabis (P.) complicata* (Bangerter, 1947)
61. *Hoplolabis (P.) fluviatilis* (Vaillant, 1970)
62. *Hoplolabis (P.) punctigera* (Lackschewitz, 1940)
63. *Hoplolabis (P.) sororcula* (Lackschewitz, 1940)
64. *Hoplolabis (P.) spinula* (Mendl, 1973)
65. *Hoplolabis (P.) subalpina* (Bangerter, 1947)
66. *Hoplolabis (P.) vicina* (Tonnoir, 1920)
67. *Hoplolabis (P.) yezoana* (Alexander, 1924)

*Idiocera* Dale, 1842

68. *Idiocera (Euptilostena) jucunda* (Loew, 1873)
69. *Idiocera (Idiocera) alexanderiana* (Lackschewitz, 1940)
70. *Idiocera (I.) antilopina* Starý, 1982
71. *Idiocera (I.) bradleyi* (Edwards, 1939)
72. *Idiocera (I.) connexa* (Loew, 1873)
73. *Idiocera (I.) sexguttata* (Dale, 1842)

74. *Idiocera (I.) sziladyi* (Lackschewitz, 1940)

*Ilisia* Rondani, 1856

75. *Ilisia maculata* (Meigen, 1804)

76. *Ilisiaoccoecata* Edwards, 1936

*Molophilus* Curtis, 1833

77. *Molophilus (Molophilus) aduncus* Starý, 1978

78. *Molophilus (M.) appendiculatus* (Staeger, 1840)

79. *Molophilus (M.) armatissimus* Bangerter, 1947

80. *Molophilus (M.) ater* (Meigen, 1804)

81. *Molophilus (M.) bifidus* Goetghebuer, 1920

82. *Molophilus (M.) bihamatus* de Meijere, 1918

83. *Molophilus (M.) bischofi* Lackschewitz, 1940

84. *Molophilus (M.) cinereifrons* de Meijere, 1920

85. *Molophilus (M.) corniger* de Meijere, 1920

86. *Molophilus (M.) crassipygus* de Meijere, 1918

87. *Molophilus (M.) curvatus* Tonnoir, 1920

88. *Molophilus (M.) flavus* Goetghebuer, 1920

89. *Molophilus (M.) franzi* Caspers, 1980

90. *Molophilus (M.) griseus* (Meigen, 1804)

91. *Molophilus (M.) ibericus* Starý, 2011

92. *Molophilus (M.) klementi* Mendl, 1973

93. *Molophilus (M.) lackschewitzianus* Alexander, 1953

94. *Molophilus (M.) maurus* Lackschewitz, 1925

95. *Molophilus (M.) medius* de Meijere, 1918

96. *Molophilus (M.) niger* Goetghebuer, 1920

97. *Molophilus (M.) obscurus* (Meigen, 1818)

98. *Molophilus (M.) occultus* de Meijere, 1918

99. *Molophilus (M.) ochraceus* (Meigen, 1818)

100. *Molophilus (M.) oldenbergi* Lackschewitz, 1935

101. *Molophilus (M.) pleuralis* de Meijere, 1920

102. *Molophilus (M.) priapoides* Starý, 1971

103. *Molophilus (M.) priapus* Lackschewitz, 1935

104. *Molophilus (M.) propinquus* (Egger, 1863)

105. *Molophilus (M.) pseudopropinquus* Mendl, 1973

106. *Molophilus (M.) repentinus* Starý, 1971

107. *Molophilus (M.) scutellatus* Goetghebuer, 1929

108. *Molophilus (M.) serpentiger* Edwards, 1938

109. *Molophilus (M.) stroblianus* Nielsen, 1953

110. *Molophilus (M.) testaceus* Lackschewitz, 1940

111. *Molophilus (M.) tirolensis* Hancock, 2005

112. *Molophilus (M.) undulatus* Tonnoir, 1920

113. *Molophilus (M.) variispinus* Starý, 1971

114. *Molophilus (M.) vernalis* Brunhes & Geiger, 1992

115. *Molophilus (M.) zonzensis* Boardman & Starý, 2020

*Neolimnophila* Alexander, 1920

116. *Neolimnophila bergrothi* (Kuntze, 1919)

117. *Neolimnophila carteri* (Tonnoir, 1921)

118. *Neolimnophila placida* (Meigen, 1830)

*Ormosia* Rondani, 1856

119. *Ormosia (O.) albitibia* Edwards, 1921

120. *Ormosia (O.) bicornis* (de Meijere, 1920)

121. *Ormosia (O.) bifida* (Lackschewitz, 1940)

122. *Ormosia* (O.) *bihamata* Lackschewitz, 1935
123. *Ormosia* (O.) *clavata* (Tonnoir, 1920)
124. *Ormosia* (O.) *depilata* Edwards, 1938
125. *Ormosia* (O.) *egena* (Bergroth, 1891)
126. *Ormosia* (O.) *fascipennis* (Zetterstedt, 1838)
127. *Ormosia* (O.) *hartigi* Mendl, 1973
128. *Ormosia* (O.) *hederae* (Curtis, 1835)
129. *Ormosia* (O.) *lackschewitzi* Bangerter, 1947
130. *Ormosia* (O.) *lineata* (Meigen, 1804)
131. *Ormosia* (O.) *nodulosa* (Macquart, 1826)
132. *Ormosia* (O.) *pseudosimilis* (Lundström, 1912)
133. *Ormosia* (O.) *ruficauda* (Zetterstedt, 1838)
134. *Ormosia* (O.) *staegeriana* Alexander, 1953

*Rhabdomastix* Skuse, 1890

135. *Rhabdomastix* (*Lurdia*) *loewi* Starý, 2003
136. *Rhabdomastix* (L.) *lurida* (Loew, 1873)
137. *Rhabdomastix* (L.) *mendli* Starý, 2003
138. *Rhabdomastix* (L.) *robusta* Starý, 2003
139. *Rhabdomastix* (*Rhabdomastix*) *crassa* Starý, 2004
140. *Rhabdomastix* (R.) *edwardsi* Tjeder, 1967
141. *Rhabdomastix* (R.) *eugeni* Starý, 2004
142. *Rhabdomastix* (R.) *hirticornis* (Lackschewitz, 1940)
143. *Rhabdomastix* (R.) *japonica* Alexander, 1924
144. *Rhabdomastix* (R.) *laetoidea* Starý, 2004
145. *Rhabdomastix* (R.) *subparva* Starý, 1971

*Rhypholophus* Kolenati, 1860

146. *Rhypholophus bifurcatus* Goetghebuer, 1920
147. *Rhypholophus dufouri* Geiger & Podenas, 1993
148. *Rhypholophus haemorrhoidalis* (Zetterstedt, 1838)
149. *Rhypholophus malickyi* (Mendl, 1975)
150. *Rhypholophus phryganopterus* Kolenati, 1860
151. *Rhypholophus varius* (Meigen & Wiedemann, 1818)

*Scleroprocta* Edwards, 1938

152. *Scleroprocta pentagonalis* (Loew, 1873)
153. *Scleroprocta sororcula* (Zetterstedt, 1851)

*Symplecta* Meigen, 1830

154. *Symplecta* (*Psiloconopa*) *pusilla* (Schiner, 1865)
155. *Symplecta* (*Psiloconopa*) *stictica stictica* (Meigen, 1818)
156. *Symplecta* (*Symplecta*) *hybrida* (Meigen, 1804)
157. *Symplecta* (*Trimicra*) *pilipes* (Fabricius, 1787)

*Tasiocera* Skuse, 1890

158. *Tasiocera* (*Dasymolophilus*) *exigua* Savchenko, 1973
159. *Tasiocera* (D.) *fuscescens* (Lackschewitz, 1940)
160. *Tasiocera halesus* (Schmid, 1949)
161. *Tasiocera* (D.) *jenkinsoni* Freeman, 1951
162. *Tasiocera* (D.) *murina* (Meigen, 1818)
163. *Tasiocera* (D.) *robusta* (Bangerter, 1947)

**Dactylolabinae Podenas, 2005**

*Dactylolabis* Osten Sacken, 1860

- 164. *Dactylolabis (Dactylolabis) anomala* (Kuntze, 1913)
- 165. *Dactylolabis (D.) corsicana* Edwards, 1928
- 166. *Dactylolabis (D.) denticulata* (Bergroth, 1891)
- 167. *Dactylolabis (D.) dilatata* (Loew, 1856)
- 168. *Dactylolabis (D.) nubecula* Kuntze, 1913
- 169. *Dactylolabis (D.) sexmaculata* (Macquart, 1826)
- 170. *Dactylolabis (D.) transversa* (Meigen, 1804)

**Limnophilinae Bigot, 1854**

*Austrolimnophila* Alexander, 1920

- 171. *Austrolimnophila (Archilimnophila) unica* (Osten Sacken, 1869)
- 172. *Austrolimnophila (Austrolimnophila) latistyla* Starý, 1977
- 173. *Austrolimnophila (A.) ochracea* (Meigen, 1804)

*Dicranophragma* Osten Sacken, 1860

- 174. *Dicranophragma (Brachylimnophila) adjunctum* (Walker, 1848)
- 175. *Dicranophragma (B.) nemorale* (Meigen, 1818)
- 176. *Dicranophragma (B.) separatum* (Walker, 1848)

*Epiphragma* Osten Acken, 1860

- 177. *Epiphragma (Epiphragma) ocellare* (Linnaeus, 1761)

*Euphylidorea* Alexander, 1972

- 178. *Euphylidorea (Euphylidorea) aperta* (Verrall, 1887)
- 179. *Euphylidorea (E.) dispar* (Meigen, 1818)
- 180. *Euphylidorea (E.) lineola* (Meigen, 1804)
- 181. *Euphylidorea (E.) meigenii* (Verrall, 1886)
- 182. *Euphylidorea (E.) phaeostigma* (Schummel, 1829)

*Eutonia* van der Wulp, 1874

- 183. *Eutonia barbipes* (Meigen, 1804)

*Hexatoma* Latreille, 1809

- 184. *Hexatoma (Eriocera) schnusei* (Kuntze, 1913)
- 185. *Hexatoma (Hexatoma) bicolor* (Meigen, 1818)
- 186. *Hexatoma (H.) fuscipennis* (Curtis, 1836)
- 187. *Hexatoma (H.) gaedii* (Meigen, 1830)
- 188. *Hexatoma (H.) nigra* Latreille, 1809
- 189. *Hexatoma (H.) nubeculosa nubeculosa* (Burmeister, 1829)
- 190. *Hexatoma (H.) vittata* (Meigen, 1830)

*Idioptera* Macquart, 1834

- 191. *Idioptera apicata* (Loew, 1871)
- 192. *Idioptera czernyi* (Strobl, 1909)
- 193. *Idioptera laciniata* Edwards, 1928
- 194. *Idioptera maculata* (Meigen, 1804)
- 195. *Idioptera miliaria* (Egger, 1863)
- 196. *Idioptera mundata* (Loew, 1871)
- 197. *Idioptera pulchella* (Meigen, 1830)
- 198. *Idioptera pusilla* (Kuntze, 1920)

199. *Idioptera submarmorata* (Verrall, 1887)  
200. *Idioptera trimaculata* (Zetterstedt, 1838)  
201. *Idioptera verralli* (Bergroth, 1912)

*Limnophila* Macquart, 1834

202. *Limnophila (Limnophila) pictipennis* (Meigen, 1818)  
203. *Limnophila (L.) schranki* Oosterbroek, 1992

*Neolimnomyia* Seguy, 1937

204. *Neolimnomyia batava* (Edwards, 1938)  
205. *Neolimnomyia filata* (Walker, 1856)

*Paradelphomyia* Alexander, 1936

206. *Paradelphomyia czizekiana* Starý, 1971  
207. *Paradelphomyia dalei* (Edwards, 1939)  
208. *Paradelphomyia ecalcarata* (Edwards, 1938)  
209. *Paradelphomyia fuscula* (Loew, 1873)  
210. *Paradelphomyia nielsenii* (Kuntze, 1919)  
211. *Paradelphomyia senilis* (Haliday, 1833)

*Phylidorea* Bigot, 1854

212. *Phylidorea (Paraphylidorea) fulvonervosa* (Schummel, 1829)  
213. *Phylidorea (Phylidorea) abdominalis* (Staeger, 1840)  
214. *Phylidorea (P.) bicolor* (Meigen, 1804)  
215. *Phylidorea (P.) ferruginea* (Meigen, 1818)  
216. *Phylidorea (P.) heterogyna* (Bergroth, 1913)  
217. *Phylidorea (P.) longicornis longicornis* (Schummel, 1829)  
218. *Phylidorea (P.) squalens* (Zetterstedt, 1838)

*Phyllolabis*

219. *Phyllolabis geigeri* Podenas & Starý, 1997  
220. *Phyllolabis gohli* Mendl, 1976  
221. *Phyllolabis pubipennis* Lackschewitz, 1940

*Pilaria* Sintenis, 1889

222. *Pilaria decolor* (Zetterstedt, 1851)  
223. *Pilaria discicollis* (Meigen, 1818)  
224. *Pilaria fuscipennis* (Meigen, 1818)  
225. *Pilaria meridiana* (Staeger, 1840)  
226. *Pilaria nigropunctata* (Agrell, 1945)  
227. *Pilaria scutellata* (Staeger, 1840)

*Prionolabis* Oster Sacken, 1860

228. *Prionolabis hospes* (Egger, 1863)  
229. *Prionolabis schmidi* Starý, 2006

*Pseudolimnophila* Alexander, 1919

230. *Pseudolimnophila (Pseudolimnophila) lucorum* (Meigen, 1818)  
231. *Pseudolimnophila (P.) sepium* (Verrall, 1886)

**Limoniinae Speiser, 1909**

*Achyrolimonia* Alexander, 1965

- 232. *Achyrolimonia decemmaculata* (Loew, 1873)
- 233. *Achyrolimonia neonebulosa* (Alexander, 1924)

*Antocha* Osten Sacken, 1860

- 234. *Antocha (Antocha) vitripennis* (Meigen, 1830)
- 235. *Antocha (Orimargula) alpigena* (Mik, 1883)

*Atypophthalmus* Brunetti, 1911

- 236. *Atypophthalmus (Atypophthalmus) inustus* (Meigen, 1818)

*Dicranomyia* Stephens, 1829

- 237. *Dicranomyia (Dicranomyia) affinis* (Schummel, 1829)
- 238. *Dicranomyia (D.) aperta* Wahlgren, 1904
- 239. *Dicranomyia (D.) autumnalis* (Staeger, 1840)
- 240. *Dicranomyia (D.) chorea* (Meigen, 1818)
- 241. *Dicranomyia (D.) conchifera* (Strobl, 1900)
- 242. *Dicranomyia (D.) consimilis* (Zetterstedt, 1838)
- 243. *Dicranomyia (D.) didyma* (Meigen, 1804)
- 244. *Dicranomyia (D.) distendens* Lundström, 1912
- 245. *Dicranomyia (D.) fuscinota* Starý, 2009
- 246. *Dicranomyia (D.) goritiensis* (Mik, 1864)
- 247. *Dicranomyia (D.) imbecilla* Lackschewitz, 1941
- 248. *Dicranomyia (D.) kamakensis* Starý, 1993
- 249. *Dicranomyia (D.) livornica* Lackschewitz, 1928
- 250. *Dicranomyia (D.) longipennis* (Schummel, 1829)
- 251. *Dicranomyia (D.) lorettae* Geiger, 1985
- 252. *Dicranomyia (D.) lucida* de Meijere, 1918
- 253. *Dicranomyia (D.) lutea* (Meigen, 1804)
- 254. *Dicranomyia (D.) melanantha* Savchenko, 1984
- 255. *Dicranomyia (D.) micronychia* Lackschewitz, 1941
- 256. *Dicranomyia (D.) mitis* (Meigen, 1830)
- 257. *Dicranomyia (D.) modesta* (Meigen, 1818)
- 258. *Dicranomyia (D.) ornata* (Meigen, 1818)
- 259. *Dicranomyia (D.) pallidinota* Starý, 2009
- 260. *Dicranomyia (D.) quadra* (Meigen, 1838)
- 261. *Dicranomyia (D.) sera* (Walker, 1848)
- 262. *Dicranomyia (D.) signatella* Starý & Freidberg, 2007
- 263. *Dicranomyia (D.) strobli* Pagast, 1941
- 264. *Dicranomyia (D.) ventralis* (Schummel, 1829)
- 265. *Dicranomyia (Glochina) bangerteri* (Mendl, 1974)
- 266. *Dicranomyia (G.) pauli* Geiger, 1983
- 267. *Dicranomyia (G.) sericata* (Meigen, 1830)
- 268. *Dicranomyia (G.) transsilvanica* Lackschewitz, 1928
- 269. *Dicranomyia (G.) tristis* (Schummel, 1829)
- 270. *Dicranomyia (Idiopyga) danica* Kuntze, 1919
- 271. *Dicranomyia (I.) halterella* Edwards, 1921
- 272. *Dicranomyia (I.) lackschewitzi* Edwards, 1928
- 273. *Dicranomyia (I.) nigristigma* Nielsen, 1919
- 274. *Dicranomyia (I.) stigmatica* (Meigen, 1830)
- 275. *Dicranomyia (Melanolimonia) caledonica* Edwards, 1926
- 276. *Dicranomyia (M.) hamata* Becker, 1908
- 277. *Dicranomyia (M.) morio* (Fabricius, 1787)
- 278. *Dicranomyia (M.) occidua* Edwards, 1926
- 279. *Dicranomyia (M.) stylifera* Lackschewitz, 1928
- 280. *Dicranomyia (Numantia) fusca* (Meigen, 1804)

281. *Dicranomyia (Sivalimnobia) aquosa* Verrall, 1886

*Dicranoptycha* Osten Sacken, 1860

- 282. *Dicranoptycha cinerascens* (Meigen, 1818)
- 283. *Dicranoptycha fuscescens* (Schummel, 1829)
- 284. *Dicranoptycha livescens* Loew, 1871
- 285. *Dicranoptycha paralivescens* Starý, 1972
- 286. *Dicranoptycha pseudocinerea* Starý, 1972

*Discobola* Osten Sacken, 1865

- 287. *Discobola annulata* (Linnaeus, 1758)
- 288. *Discobola caesarea* (Osten Sacken, 1854)

*Elephantomyia* Osten Sacken, 1860

- 289. *Elephantomyia (Elephantomyia) edwardsi* Lackschewitz, 1932

*Elliptera* Schiner, 1863

- 290. *Elliptera hungarica* Madarassy, 1881
- 291. *Elliptera omissa* Schiner, 1863

*Geranomyia* Haliday, 1833

- 292. *Geranomyia bezzii* Alexander & Leonard, 1912
- 293. *Geranomyia caloptera* Mik, 1867
- 294. *Geranomyia unicolor* Haliday, 1833

*Helius* Lepeletier de Saint-Fargeau & Audinet-Serville, 1828

- 295. *Helius (Helius) calviensis* Edwards, 1928
- 296. *Helius (H.) flavus* (Walker, 1856)
- 297. *Helius (H.) hispanicus* Lackschewitz, 1928
- 298. *Helius (H.) longirostris longirostris* (Meigen, 1818)
- 299. *Helius (H.) pallirostris* Edwards, 1921

*Limonia* Meigen, 1803

- 300. *Limonia albifrons* (Meigen, 1818)
- 301. *Limonia dilutior* (Edwards, 1921)
- 302. *Limonia flavipes* (Fabricius, 1787)
- 303. *Limonia hercegovinae* (Strobl, 1898)
- 304. *Limonia macrostigma* (Schummel, 1829)
- 305. *Limonia maculipennis* (Meigen & Wiedemann, 1818)
- 306. *Limonia nigropunctata nigropunctata* (Schummel, 1829)
- 307. *Limonia nubeculosa* Meigen, 1804
- 308. *Limonia phragmitidis* (Schrank, 1781)
- 309. *Limonia stigma* (Meigen, 1818)
- 310. *Limonia sylvicola* (Schummel, 1829)
- 311. *Limonia taurica* (Strobl, 1895)
- 312. *Limonia trivittata* (Schummel, 1829)

*Lipsothrix* Loew, 1873

- 313. *Lipsothrix ecucullata* Edwards, 1938
- 314. *Lipsothrix errans* (Walker, 1848)
- 315. *Lipsothrix galiciensis* Hancock & Hewitt, 2015
- 316. *Lipsothrix nervosa* Edwards, 1938

317. *Lipsothrix nobilis* Loew, 1873  
 318. *Lipsothrix remota* (Walker, 1848)

*Metalimnobia* Matsumura, 1911

319. *Metalimnobia (Metalimnobia) bifasciata* (Schrank, 1781)  
 320. *Metalimnobia (M.) quadrimaculata* (Linnaeus, 1761)  
 321. *Metalimnobia (M.) quadrinotata* (Meigen, 1818)  
 322. *Metalimnobia (M.) tenua* Savchenko, 1976  
 323. *Metalimnobia (M.) zetterstedti* (Tjeder, 1968)

*Neolimonia* Alexander, 1964

324. *Neolimonia dumetorum* (Meigen, 1804)

*Orimarga* Osten Sacken, 1869

325. *Orimarga (Orimarga) attenuata* (Walker, 1848)  
 326. *Orimarga (O.) juvenilis* (Zetterstedt, 1851)  
 327. *Orimarga (O.) virgo* (Zetterstedt, 1851)

*Rhipidia* Meigen, 1818

328. *Rhipidia (Rhipidia) ctenophora* Loew, 1871  
 329. *Rhipidia (R.) maculata* Meigen, 1818  
 330. *Rhipidia (R.) punctiplena* Mik, 1887  
 331. *Rhipidia (R.) uniseriata uniseriata* Schiner, 1864

*Thaumastoptera* Mik, 1866

332. *Thaumastoptera (Thaumastoptera) calceata* Mik, 1866

**Pediciidae Osten Sacken, 1860**

**Pediciinae Osten Sacken, 1860**

*Dicranota* Zetterstedt, 1838

1. *Dicranota (Dicranota) bimaculata* (Schummel, 1829)
2. *Dicranota (Ludicia) claripennis* (Verrall, 1888)
3. *Dicranota (L.) lucidipennis* (Edwards, 1921)
4. *Dicranota (L.) trifurcata* (Edwards, 1928)
5. *Dicranota (Paradicronata) brevicornis* Bergroth, 1891
6. *Dicranota (P.) brevitarsis* Bergroth, 1891
7. *Dicranota (P.) candelisequa* Starý, 1981
8. *Dicranota (P.) capillata* Lackschewitz, 1940
9. *Dicranota (P.) cinerascens* Lackschewitz, 1940
10. *Dicranota (P.) consimilis* Mendl, 1987
11. *Dicranota (P.) flammatra* Starý, 1981
12. *Dicranota (P.) fuscipennis* Lackschewitz, 1940
13. *Dicranota (P.) gracilipes* Wahlgren, 1905
14. *Dicranota (P.) landrocki* Czižek, 1931
15. *Dicranota (P.) minuta* Lackschewitz, 1940
16. *Dicranota (P.) pallens* Lackschewitz, 1940
17. *Dicranota (P.) pavidata* (Haliday, 1833)
18. *Dicranota (P.) rorida* Lackschewitz, 1940
19. *Dicranota (P.) schistacea* Lackschewitz, 1940
20. *Dicranota (P.) simulans* Lackschewitz, 1940
21. *Dicranota (P.) subtilis* Loew, 1871
22. *Dicranota (Raphidolabis) exclusa* (Walker, 1848)

*Pedicia* Latreille, 1809

23. *Pedicia (Amalopsis) fusca* Ujvarosi & Balint, 2012
24. *Pedicia (A.) occulta* (Meigen, 1830)
25. *Pedicia (Crunobia) littoralis* (Meigen, 1804)
26. *Pedicia (C.) riedeli* (Lackschewitz, 1940)
27. *Pedicia (C.) straminea* (Meigen, 1838)
28. *Pedicia (C.) zangheriana* Nielsen, 1950
29. *Pedicia (Pedicia) rivosa* (Linnaeus, 1758)

*Tricyphona* Zetterstedt, 1837

30. *Tricyphona (Tricyphona) alticola* Strobl, 1910
31. *Tricyphona (T.) contraria* Bergroth, 1888
32. *Tricyphona (T.) immaculata* (Meigen, 1804)
33. *Tricyphona (T.) livida* Madarassy, 1881
34. *Tricyphona (T.) schummeli* Edwards, 1921
35. *Tricyphona (T.) unicolor* (Schummel, 1829)

**Ulinae Alexander, 1920**

36. *Ula (Ula) bolitophila* Loew, 1869
37. *Ula (U) mixta* Starý, 1983
38. *Ula (U.) mollissima* Haliday, 1833
39. *Ula (U.) sylvatica* (Meigen, 1818)

**Cylindrotomidae Schiner, 1863**

**Cylindrotominae van der Wulp, 1877**

*Cylindrotoma* Macquart, 1834

1. *Cylindrotoma distinctissima* (Meigen, 1818)

*Diogma* Edwards, 1938

2. *Diogma glabrata* (Meigen, 1818)

*Phalacrocera* Schiner, 1863

3. *Phalacrocera replicata* (Linnaeus, 1758)

*Triogma* Schiner, 1863

4. *Triogma trisulcata* (Schummel, 1829)